NCBI PubMed National Library of Medicine NLM

PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Books

Search PubMed for role of Toll like receptors Go Clear

Limits Preview/Index History Clipboard Details

Display Summary Sort Save Text Clip Add Order

Show: 20 Items 1-20 of 94 Page 1 of 5 Select page: 1 2 3 4 5

1: Miettinen M, Sareneva T, Julkunen I, Matikainen S. Related Articles

IFNs activate toll-like receptor gene expression in viral infections.
Genes Immun. 2001 Oct;2(6):349-55.
PMID: 11607792 [PubMed - in process]

2: Horng T, Medzhitov R. Related Articles

Drosophila MyD88 is an adapter in the Toll signaling pathway.
Proc Natl Acad Sci U S A. 2001 Oct 23;98(22):12654-8.
PMID: 11606776 [PubMed - in process]

3: Fan J, Ye RD, Malik AB. Related Articles

Transcriptional mechanisms of acute lung injury.
Am J Physiol Lung Cell Mol Physiol. 2001 Nov;281(5):L1037-50.
PMID: 11597894 [PubMed - in process]

4: Modlin RL. Related Articles

Activation of toll-like receptors by microbial lipoproteins: Role in host defense.
J Allergy Clin Immunol. 2001 Oct;108(4 Pt 2):104S-6S.
PMID: 11586275 [PubMed - in process]

5: Schnare M, Barton GM, Holt AC, Takeda K, Akira S, Medzhitov R. Related Articles

Toll-like receptors control activation of adaptive immune responses.
Nat Immunol. 2001 Oct;2(10):947-50.
PMID: 11547333 [PubMed - indexed for MEDLINE]

6: Prebeck S, Kirschning C, Durr S, da Costa C, Donath B, Brand K, Redecke V, Wagner H, Miethke T. Related Articles

Predominant Role of Toll-Like Receptor 2 Versus 4 in Chlamydia pneumoniae-Induced Activation of Dendritic Cells.
J Immunol. 2001 Sep 15;167(6):3316-23.
PMID: 11544320 [PubMed - in process]

7: Tomita T, Nagase T. Related Articles

[Defensins as a mechanism of host defense and innate immunity].
Nippon Ronen Igakkai Zasshi. 2001 Jul;38(4):440-3. Japanese.
PMID: 11523142 [PubMed - indexed for MEDLINE]

8: Ingalls RR, Lien E, Golenbock DT. Related Articles

Differential roles of TLR2 and TLR4 in the host response to Gram-negative bacteria: lessons from a lipopolysaccharide-deficient mutant of Neisseria

meningitidis.
J Endotoxin Res. 2000;6(5):411-5.
PMID: 11521065 [PubMed - indexed for MEDLINE]

9: Dziarski R, Gupta D. Related Articles
Role of MD-2 in TLR2- and TLR4-mediated recognition of Gram-negative and Gram-positive bacteria and activation of chemokine genes.
J Endotoxin Res. 2000;6(5):401-5. Review.
PMID: 11521063 [PubMed - indexed for MEDLINE]

10: Akira S, Hoshino K, Kaisho T. Related Articles
The role of Toll-like receptors and MyD88 in innate immune responses.
J Endotoxin Res. 2000;6(5):383-7.
PMID: 11521059 [PubMed - indexed for MEDLINE]

11: Muta T, Takeshige K. Related Articles
Essential roles of CD14 and lipopolysaccharide-binding protein for activation of toll-like receptor (TLR)2 as well as TLR4 Reconstitution of TLR2- and TLR4-activation by distinguishable ligands in LPS preparations.
Eur J Biochem. 2001 Aug;268(16):4580-9.
PMID: 11502220 [PubMed - indexed for MEDLINE]

12: Bainbridge BW, Darveau RP. Related Articles
Porphyromonas gingivalis lipopolysaccharide: an unusual pattern recognition receptor ligand for the innate host defense system.
Acta Odontol Scand. 2001 Jun;59(3):131-8. Review.
PMID: 11501881 [PubMed - indexed for MEDLINE]

13: Byrd-Leifer CA, Block EF, Takeda K, Akira S, Ding A. Related Articles
The role of MyD88 and TLR4 in the LPS-mimetic activity of Taxol.
Eur J Immunol. 2001 Aug;31(8):2448-57.
PMID: 11500829 [PubMed - indexed for MEDLINE]

14: Sasu S, LaVerda D, Qureshi N, Golenbock DT, Beasley D. Related Articles
Chlamydia pneumoniae and chlamydial heat shock protein 60 stimulate proliferation of human vascular smooth muscle cells via toll-like receptor 4 and p44/p42 mitogen-activated protein kinase activation.
Circ Res. 2001 Aug 3;89(3):244-50.
PMID: 11485974 [PubMed - indexed for MEDLINE]

15: Akira S, Takeda K, Kaisho T. Related Articles
Toll-like receptors: critical proteins linking innate and acquired immunity.
Nat Immunol. 2001 Aug;2(8):675-80. Review.
PMID: 11477402 [PubMed - indexed for MEDLINE]

16: Kang TJ, Chae GT. Related Articles
Detection of Toll-like receptor 2 (TLR2) mutation in the lepromatous leprosy patients.
FEMS Immunol Med Microbiol. 2001 Jul;31(1):53-8.
PMID: 11476982 [PubMed - indexed for MEDLINE]

17: Vidal VF, Casteran N, Riendeau CJ, Kornfeld H, Darcissac EC, Capron A, Bahr GM. Related Articles

Macrophage stimulation with Murabutide, an HIV-suppressive muramyl peptide derivative, selectively activates extracellular signal-regulated kinases 1 and 2, C/EBPbeta and STAT1: role of CD14 and Toll-like receptors 2 and 4.
Eur J Immunol. 2001 Jul;31(7):1962-71.
PMID: 11449348 [PubMed - indexed for MEDLINE]

18: Aderem A. Related Articles

Role of Toll-like receptors in inflammatory response in macrophages.
Crit Care Med. 2001 Jul;29(7 Suppl):S16-8. Review.
PMID: 11445728 [PubMed - indexed for MEDLINE]

19: Beutler B, Poltorak A. Related Articles

Sepsis and evolution of the innate immune response.
Crit Care Med. 2001 Jul;29(7 Suppl):S2-6; discussion S6-7. Review.
PMID: 11445725 [PubMed - indexed for MEDLINE]

20: Bulut Y, Faure E, Thomas L, Equils O, Arditi M. Related Articles, OMIM

Cooperation of Toll-like receptor 2 and 6 for cellular activation by soluble tuberculosis factor and Borrelia burgdorferi outer surface protein A lipoprotein: role of Toll-interacting protein and IL-1 receptor signaling molecules in Toll-like receptor 2 signaling.
J Immunol. 2001 Jul 15;167(2):987-94.
PMID: 11441107 [PubMed - indexed for MEDLINE]

Display Summary Sort Save Text Clip Add Order
Show: 20 Items 1-20 of 94 Page 1 of 5 Select page: 1 2 3 4 5

NCBI PubMed National Library of Medicine NLM

PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Books

Search PubMed for role of Toll like receptors Go Clear

Limits Preview/Index History Clipboard Details

Display Summary Sort Save Text Clip Add Order

Show: 20 Items 61-80 of 94 Page 4 of 5 Select page: 1 2 3 4 5

61: Tauszig S, Jouanguy E, Hoffmann JA, Imler JL. Free in PMC, Related Articles, Nucleotide, Protein

Toll-related receptors and the control of antimicrobial peptide expression in Drosophila.
Proc Natl Acad Sci U S A. 2000 Sep 12;97(19):10520-5.
PMID: 10973475 [PubMed - indexed for MEDLINE]

62: Aderem A, Ulevitch RJ. Related Articles

Toll-like receptors in the induction of the innate immune response.
Nature. 2000 Aug 17;406(6797):782-7. Review.
PMID: 10963608 [PubMed - indexed for MEDLINE]

63: Fitzgerald KA, O'Neill LA. Related Articles

The role of the interleukin-1/Toll-like receptor superfamily in inflammation and host defence.
Microbes Infect. 2000 Jul;2(8):933-43. Review.
PMID: 10962277 [PubMed - indexed for MEDLINE]

64: Schroder NW, Opitz B, Lamping N, Michelsen KS, Zahringer U, Gobel UB, Schumann RR. Related Articles

Involvement of lipopolysaccharide binding protein, CD14, and Toll-like receptors in the initiation of innate immune responses by Treponema glycolipids.
J Immunol. 2000 Sep 1;165(5):2683-93.
PMID: 10946299 [PubMed - indexed for MEDLINE]

65: Bowie A, Kiss-Toth E, Symons JA, Smith GL, Dower SK, O'Neill LA. Free in PMC, Related Articles

A46R and A52R from vaccinia virus are antagonists of host IL-1 and toll-like receptor signaling.
Proc Natl Acad Sci U S A. 2000 Aug 29;97(18):10162-7.
PMID: 10920188 [PubMed - indexed for MEDLINE]

66: Beutler B, Poltorak A. Related Articles

Positional cloning of Lps, and the general role of toll-like receptors in the innate immune response.
Eur Cytokine Netw. 2000 Jun;11(2):143-52. Review.
PMID: 10903793 [PubMed - indexed for MEDLINE]

67: Hirschfeld M, Ma Y, Weis JH, Vogel SN, Weis JJ. Related Articles

Cutting edge: repurification of lipopolysaccharide eliminates signaling through

both human and murine toll-like receptor 2.
J Immunol. 2000 Jul 15;165(2):618-22.
PMID: 10878331 [PubMed - indexed for MEDLINE]

68: Schuster JM, Nelson PS. Related Articles
Toll receptors: an expanding role in our understanding of human disease.
J Leukoc Biol. 2000 Jun;67(6):767-73. Review.
PMID: 10857847 [PubMed - indexed for MEDLINE]

69: Lin Y, Lee H, Berg AH, Lisanti MP, Shapiro L, Scherer PE. Related Articles, Nucleotide, Protein
The lipopolysaccharide-activated toll-like receptor (TLR)-4 induces synthesis of the closely related receptor TLR-2 in adipocytes.
J Biol Chem. 2000 Aug 11;275(32):24255-63.
PMID: 10823826 [PubMed - indexed for MEDLINE]

70: Muzio M, Bosisio D, Polentarutti N, D'amico G, Stoppacciaro A, Mancinelli R, van't Veer C, Penton-Rol G, Ruco LP, Allavena P, Mantovani A. Related Articles, OMIM
Differential expression and regulation of toll-like receptors (TLR) in human leukocytes: selective expression of TLR3 in dendritic cells.
J Immunol. 2000 Jun 1;164(11):5998-6004.
PMID: 10820283 [PubMed - indexed for MEDLINE]

71: Tabeta K, Yamazaki K, Akashi S, Miyake K, Kumada H, Umemoto T, Yoshie H. Related Articles
Toll-like receptors confer responsiveness to lipopolysaccharide from Porphyromonas gingivalis in human gingival fibroblasts.
Infect Immun. 2000 Jun;68(6):3731-5.
PMID: 10816537 [PubMed - indexed for MEDLINE]

72: Kleeberger SR, Reddy S, Zhang LY, Jedlicka AE. Related Articles
Genetic susceptibility to ozone-induced lung hyperpermeability: role of toll-like receptor 4.
Am J Respir Cell Mol Biol. 2000 May;22(5):620-7.
PMID: 10783135 [PubMed - indexed for MEDLINE]

73: Bowie A, O'Neill LA. Related Articles
The interleukin-1 receptor/Toll-like receptor superfamily: signal generators for pro-inflammatory interleukins and microbial products.
J Leukoc Biol. 2000 Apr;67(4):508-14. Review.
PMID: 10770283 [PubMed - indexed for MEDLINE]

74: Muzio M, Polentarutti N, Bosisio D, Prahladan MK, Mantovani A. Related Articles
Toll-like receptors: a growing family of immune receptors that are differentially expressed and regulated by different leukocytes.
J Leukoc Biol. 2000 Apr;67(4):450-6.
PMID: 10770275 [PubMed - indexed for MEDLINE]

75: Landmann R, Muller B, Zimmerli W. Related Articles
CD14, new aspects of ligand and signal diversity.
Microbes Infect. 2000 Mar;2(3):295-304. Review.
PMID: 10758406 [PubMed - indexed for MEDLINE]

76: Clark GJ, Angel N, Kato M, Lopez JA, MacDonald K, Vuckovic S, Hart DN. Related Articles
The role of dendritic cells in the innate immune system.
Microbes Infect. 2000 Mar;2(3):257-72. Review.
PMID: 10758402 [PubMed - indexed for MEDLINE]

77: Sebastiani G, Leveque G, Lariviere L, Laroche L, Skamene E, Gros P, Malo D Related Articles, Nucleotide, Protein
Cloning and characterization of the murine toll-like receptor 5 (Tlr5) gene: sequence and mRNA expression studies in Salmonella-susceptible MOLF/Ei mice.
Genomics. 2000 Mar 15;64(3):230-40.
PMID: 10756091 [PubMed - indexed for MEDLINE]

78: Su GL, Klein RD, Aminlari A, Zhang HY, Steinstraesser L, Alarcon WH, Remick DG, Wang SC. Related Articles
Kupffer cell activation by lipopolysaccharide in rats: role for lipopolysaccharide binding protein and toll-like receptor 4.
Hepatology. 2000 Apr;31(4):932-6.
PMID: 10733550 [PubMed - indexed for MEDLINE]

79: Anderson KV. Related Articles
Toll signaling pathways in the innate immune response.
Curr Opin Immunol. 2000 Feb;12(1):13-9. Review.
PMID: 10679407 [PubMed - indexed for MEDLINE]

80: Matsuguchi T, Takagi K, Musikacharoen T, Yoshikai Y. Related Articles
Gene expressions of lipopolysaccharide receptors, toll-like receptors 2 and 4, are differently regulated in mouse T lymphocytes.
Blood. 2000 Feb 15;95(4):1378-85.
PMID: 10666214 [PubMed - indexed for MEDLINE]

Display Summary Sort Save Text Clip Add Order
Show: 20 Items 61-80 of 94 Page 4 of 5 Select page: 1 2 3 4 5

NCBI PubMed National Library of Medicine NLM

PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Books

Search PubMed for role of Toll like receptors Go Clear

Limits Preview/Index History Clipboard Details

Display Summary Sort Save Text Clip Add Order

Show: 20 Items 41-60 of 94 Page 3 of 5 Select page: 1 2 3 4 5

41: Equils O, Faure E, Thomas L, Bulut Y, Trushin S, Arditi M. Related Articles

Bacterial lipopolysaccharide activates HIV long terminal repeat through Toll-like receptor 4.
J Immunol. 2001 Feb 15;166(4):2342-7.
PMID: 11160291 [PubMed - indexed for MEDLINE]

42: Faure E, Thomas L, Xu H, Medvedev A, Equils O, Arditi M. Related Articles

Bacterial lipopolysaccharide and IFN-gamma induce Toll-like receptor 2 and Toll-like receptor 4 expression in human endothelial cells: role of NF-kappa B activation.
J Immunol. 2001 Feb 1;166(3):2018-24.
PMID: 11160251 [PubMed - indexed for MEDLINE]

43: Kleeberger SR, Reddy SP, Zhang LY, Cho HY, Jedlicka AE. Related Articles

Toll-like receptor 4 mediates ozone-induced murine lung hyperpermeability via inducible nitric oxide synthase.
Am J Physiol Lung Cell Mol Physiol. 2001 Feb;280(2):L326-33.
PMID: 11159012 [PubMed - indexed for MEDLINE]

44: Faure E, Equils O, Sieling PA, Thomas L, Zhang FX, Kirschning CJ, Polentarutti N, Muzio M, Arditi M. Related Articles

Bacterial lipopolysaccharide activates NF-kappaB through toll-like receptor 4 (TLR-4) in cultured human dermal endothelial cells. Differential expression of TLR-4 and TLR-2 in endothelial cells.
J Biol Chem. 2000 Apr 14;275(15):11058-63.
PMID: 10753909 [PubMed - indexed for MEDLINE]

45: Krutzik SR, Sieling PA, Modlin RL. Related Articles

The role of Toll-like receptors in host defense against microbial infection.
Curr Opin Immunol. 2001 Feb;13(1):104-8.
PMID: 11154925 [PubMed - indexed for MEDLINE]

46: Schilling JD, Mulvey MA, Vincent CD, Lorenz RG, Hultgren SJ. Related Articles

Bacterial invasion augments epithelial cytokine responses to Escherichia coli through a lipopolysaccharide-dependent mechanism.
J Immunol. 2001 Jan 15;166(2):1148-55.
PMID: 11145696 [PubMed - indexed for MEDLINE]

47: Dinesh-Kumar SP, Tham WH, Baker BJ. Free in PMC, Related Articles

Structure-function analysis of the tobacco mosaic virus resistance gene N.

Proc Natl Acad Sci U S A. 2000 Dec 19;97(26):14789-94.
PMID: 11121079 [PubMed - indexed for MEDLINE]

48: Bouis DA, Popova TG, Takashima A, Norgard MV. Related Articles
Dendritic cells phagocytose and are activated by Treponema pallidum.
Infect Immun. 2001 Jan;69(1):518-28.
PMID: 11119545 [PubMed - indexed for MEDLINE]

49: Das UN. Related Articles
Critical advances in septicemia and septic shock.
Crit Care. 2000;4(5):290-6. Review.
PMID: 11094508 [PubMed - indexed for MEDLINE]

50: Piani A, Hossle JP, Birchler T, Siegrist CA, Heumann D, Davies G, Loeliger S, Seger R, Lauener RP. Related Articles
Expression of MHC class II molecules contributes to lipopolysaccharide responsiveness.
Eur J Immunol. 2000 Nov;30(11):3140-6.
PMID: 11093128 [PubMed - indexed for MEDLINE]

51: Frantz S, Kelly RA, Bourcier T. Related Articles
Role of TLR-2 in the activation of nuclear factor kappaB by oxidative stress in cardiac myocytes.
J Biol Chem. 2001 Feb 16;276(7):5197-203.
PMID: 11083876 [PubMed - indexed for MEDLINE]

52: Matsuguchi T, Musikacharoen T, Ogawa T, Yoshikai Y. Related Articles
Gene expressions of Toll-like receptor 2, but not Toll-like receptor 4, is induced by LPS and inflammatory cytokines in mouse macrophages.
J Immunol. 2000 Nov 15;165(10):5767-72.
PMID: 11067935 [PubMed - indexed for MEDLINE]

53: Takeuchi O, Hoshino K, Akira S. Related Articles, OMIM
Cutting edge: TLR2-deficient and MyD88-deficient mice are highly susceptible to Staphylococcus aureus infection.
J Immunol. 2000 Nov 15;165(10):5392-6.
PMID: 11067888 [PubMed - indexed for MEDLINE]

54: Daun JM, Fenton MJ. Related Articles
Interleukin-1/Toll receptor family members: receptor structure and signal transduction pathways.
J Interferon Cytokine Res. 2000 Oct;20(10):843-55. Review.
PMID: 11054272 [PubMed - indexed for MEDLINE]

55: Medzhitov R, Janeway C Jr. Related Articles
The Toll receptor family and microbial recognition.
Trends Microbiol. 2000 Oct;8(10):452-6. Review.
PMID: 11044679 [PubMed - indexed for MEDLINE]

56: Muzio M, Polentarutti N, Bosisio D, Manoj Kumar PP, Mantovani A. Related Articles
Toll-like receptor family and signalling pathway.
Biochem Soc Trans. 2000 Oct;28(5):563-6. Review.

PMID: 11044375 [PubMed - indexed for MEDLINE]

57: O'Neill L. Related Articles

The Toll/interleukin-1 receptor domain: a molecular switch for inflammation and host defence.
Biochem Soc Trans. 2000 Oct;28(5):557-63. Review.
PMID: 11044374 [PubMed - indexed for MEDLINE]

58: Akira S. Related Articles

Toll-like receptors: lessons from knockout mice.
Biochem Soc Trans. 2000 Oct;28(5):551-6. Review.
PMID: 11044373 [PubMed - indexed for MEDLINE]

59: Jiang Q, Akashi S, Miyake K, Petty HR. Related Articles

Lipopolysaccharide induces physical proximity between CD14 and toll-like receptor 4 (TLR4) prior to nuclear translocation of NF-kappa B.
J Immunol. 2000 Oct 1;165(7):3541-4.
PMID: 11034352 [PubMed - indexed for MEDLINE]

60: Liu S, Salyapongse AN, Geller DA, Vodovotz Y, Billiar TR. Related Articles

Hepatocyte toll-like receptor 2 expression in vivo and in vitro: role of cytokines in induction of rat TLR2 gene expression by lipopolysaccharide.
Shock. 2000 Sep;14(3):361-5.
PMID: 11028557 [PubMed - indexed for MEDLINE]

Display Summary Sort Save Text Clip Add Order
Show: 20 Items 41-60 of 94 Page 3 of 5 Select page: 1 2 3 4 5

NCBI PubMed National Library of Medicine NLM

PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Books

Search PubMed for role of Toll like receptors Go Clear

Limits Preview/Index History Clipboard Details

Display Summary Sort Save Text Clip Add Order

Show: 20 Items 21-40 of 94 Page 2 of 5 Select page: 1 2 3 4 5

21: Imler JL, Hoffmann JA. Related Articles

Toll receptors in innate immunity.
Trends Cell Biol. 2001 Jul;11(7):304-11. Review.
PMID: 11413042 [PubMed - indexed for MEDLINE]

22: Naik S, Kelly EJ, Meijer L, Pettersson S, Sanderson IR. Related Articles

Absence of Toll-like receptor 4 explains endotoxin hyporesponsiveness in human intestinal epithelium.
J Pediatr Gastroenterol Nutr. 2001 Apr;32(4):449-53.
PMID: 11396812 [PubMed - indexed for MEDLINE]

23: Li M, Carpio DF, Zheng Y, Bruzzo P, Singh V, Ouaaz F, Medzhitov RM, Beg AA. Related Articles

An essential role of the NF-kappa B/Toll-like receptor pathway in induction of inflammatory and tissue-repair gene expression by necrotic cells.
J Immunol. 2001 Jun 15;166(12):7128-35.
PMID: 11390458 [PubMed - indexed for MEDLINE]

24: Takeuchi O, Akira S. Related Articles

Toll-like receptors; their physiological role and signal transduction system.
Int Immunopharmacol. 2001 Apr;1(4):625-35. Review.
PMID: 11357875 [PubMed - indexed for MEDLINE]

25: Tsan MF, Clark RN, Goyert SM, White JE. Related Articles

Induction of TNF-alpha and MnSOD by endotoxin: role of membrane CD14 and Toll-like receptor-4.
Am J Physiol Cell Physiol. 2001 Jun;280(6):C1422-30.
PMID: 11350737 [PubMed - indexed for MEDLINE]

26: Baumgarten G, Knuefermann P, Nozaki N, Sivasubramanian N, Mann DL, Vallejo JG. Related Articles

In vivo expression of proinflammatory mediators in the adult heart after endotoxin administration: the role of toll-like receptor-4.
J Infect Dis. 2001 Jun 1;183(11):1617-24.
PMID: 11343210 [PubMed - indexed for MEDLINE]

27: Bach JF. Related Articles

Protective role of infections and vaccinations on autoimmune diseases.
J Autoimmun. 2001 May;16(3):347-53. Review.
PMID: 11334503 [PubMed - indexed for MEDLINE]

28: Boch JA, Wara-aswapati N, Auron PE. Related Articles
Interleukin 1 signal transduction--current concepts and relevance to periodontitis.
J Dent Res. 2001 Feb;80(2):400-7. Review.
PMID: 11332522 [PubMed - indexed for MEDLINE]

29: Michelsen KS, Aicher A, Mohaupt M, Hartung T, Dimmeler S, Kirschning CJ, Schumann RR. Related Articles
The role of toll-like receptors (TLRs) in bacteria-induced maturation of murine dendritic cells (DCS). Peptidoglycan and lipoteichoic acid are inducers of DC maturation and require TLR2.
J Biol Chem. 2001 Jul 13;276(28):25680-6.
PMID: 11316801 [PubMed - indexed for MEDLINE]

30: Kaisho T, Takeuchi O, Kawai T, Hoshino K, Akira S. Related Articles
Endotoxin-induced maturation of MyD88-deficient dendritic cells.
J Immunol. 2001 May 1;166(9):5688-94.
PMID: 11313410 [PubMed - indexed for MEDLINE]

31: Muenzner P, Naumann M, Meyer TF, Gray-Owen SD. Related Articles
Pathogenic Neisseria trigger expression of their carcinoembryonic antigen-related cellular adhesion molecule 1 (CEACAM1; previously CD66a) receptor on primary endothelial cells by activating the immediate early response transcription factor, nuclear factor-kappaB.
J Biol Chem. 2001 Jun 29;276(26):24331-40.
PMID: 11306560 [PubMed - indexed for MEDLINE]

32: Bihl F, Lariviere L, Qureshi ST, Flaherty L, Malo D. Related Articles
LPS-hyporesponsiveness of mnd mice is associated with a mutation in Toll-like receptor 4.
Genes Immun. 2001 Feb;2(1):56-9.
PMID: 11294571 [PubMed - indexed for MEDLINE]

33: Opitz B, Schroder NW, Spreitzer I, Michelsen KS, Kirschning CJ, Hallatschek W, Zahringer U, Hartung T, Gobel UB, Schumann RR. Related Articles
Toll-like receptor-2 mediates Treponema glycolipid and lipoteichoic acid-induced NF-kappaB translocation.
J Biol Chem. 2001 Jun 22;276(25):22041-7.
PMID: 11285258 [PubMed - indexed for MEDLINE]

34: Kimbrell DA, Beutler B. Related Articles
The evolution and genetics of innate immunity.
Nat Rev Genet. 2001 Apr;2(4):256-67. Review.
PMID: 11283698 [PubMed - indexed for MEDLINE]

35: Beutler B, Poltorak A. Related Articles
The sole gateway to endotoxin response: how LPS was identified as Tlr4, and its role in innate immunity.
Drug Metab Dispos. 2001 Apr;29(4 Pt 2):474-8.
PMID: 11259335 [PubMed - indexed for MEDLINE]

36: Imler JL, Hoffmann JA. Related Articles

Toll and Toll-like proteins: an ancient family of receptors signaling infection.
Rev Immunogenet. 2000;2(3):294-304. Review.
PMID: 11256741 [PubMed - indexed for MEDLINE]

37: Palliser D. Related Articles

Unraveling the mechanisms by which heat shock proteins activate the immune system.
Curr Opin Mol Ther. 2001 Feb;3(1):25-30. Review.
PMID: 11249728 [PubMed - indexed for MEDLINE]

38: Means TK, Jones BW, Schromm AB, Shurtleff BA, Smith JA, Keane J, Golenbock DT, Vogel SN, Fenton MJ. Related Articles

Differential effects of a Toll-like receptor antagonist on Mycobacterium tuberculosis-induced macrophage responses.
J Immunol. 2001 Mar 15;166(6):4074-82.
PMID: 11238656 [PubMed - indexed for MEDLINE]

39: Kikuchi T, Matsuguchi T, Tsuboi N, Mitani A, Tanaka S, Matsuoka M, Yamamoto G, Hishikawa T, Noguchi T, Yoshikai Y. Related Articles

Gene expression of osteoclast differentiation factor is induced by lipopolysaccharide in mouse osteoblasts via Toll-like receptors.
J Immunol. 2001 Mar 1;166(5):3574-9.
PMID: 11207318 [PubMed - indexed for MEDLINE]

40: Nishiguchi M, Matsumoto M, Takao T, Hoshino M, Shimonishi Y, Tsuji S, Begum NA, Takeuchi O, Akira S, Toyoshima K, Seya T. Related Articles

Mycoplasma fermentans lipoprotein M161Ag-induced cell activation is mediated by Toll-like receptor 2: role of N-terminal hydrophobic portion in its multiple functions.
J Immunol. 2001 Feb 15;166(4):2610-6.
PMID: 11160323 [PubMed - indexed for MEDLINE]

Display Summary Sort Save Text Clip Add Order
Show: 20 Items 21-40 of 94 Page 2 of 5 Select page: 1 2 3 4 5